

# The Effect of Roads and Human Action on Roads on Grizzly Bears and their Habitat

Grant MacHutchon and Michael Proctor  
Trans-Border Grizzly Bear Project  
[www.transbordergrizzlybearproject.ca](http://www.transbordergrizzlybearproject.ca)

23 February 2015

The following reviews the literature on the effects of roads and human action on roads on grizzly bears or their habitat. This review includes literature from throughout grizzly bear range in western North America regardless of jurisdiction and relative level of protection for bears.

Throughout North America human access to and negative action within grizzly bear range is the main reason for declines in grizzly bear populations (McLellan 1990, Schoen 1990, Banci et al. 1994, Mattson and Merrill 2002). Transportation and service corridors, particularly roads, are currently the primary form of human access to grizzly bear range. Roads and their associated ROWs, as well as human activity associated with roads, have a range of direct and indirect impacts on grizzly bears and their habitat (Table 1).

**Table 1.** The potential effects of roads and human action on roads on grizzly bears or their habitat.

Effect
Increased risk of mortality
Exposure to anthropogenic foods
Change in bear behaviour
Habitat loss
Habitat alteration
Habitat displacement
Habitat fragmentation
Population fragmentation

The physical surface of roads and habitat alteration of the ROW can affect grizzly bears positively or negatively. However, human action on roads rarely is beneficial to bears as it may change bear behaviour (McLellan and Shackleton 1989b, Northrup et al. 2012, Schwartz et al. 2010a) but, most importantly, often increases a bear's risk of human-caused mortality. Consequently, human action on roads can negatively impact grizzly bear survival to reproduce (Mace et al. 1996, Wakkinen and Kasworm 1997, Proctor et al. 2008, Boulanger et al. 2013) and, ultimately, population productivity (Schwartz et al. 2010, Boulanger and Stenhouse 2014). However, the actual magnitude of effect of roads on grizzly bears varies among different ecosystems as a result of a number of human and bear-related reasons (Table 2).

**Table 2. Influences on the magnitude of effect of roads and human action on roads on grizzly bears or their habitat.**

<b>Human-related influences</b>	<b>References</b>
Variation in road density	Mace et al. 1996, 1999; Apps et al. 2004; Johnson et al. 2004; Schwartz et al. 2010; Graves et al. 2011; Boulanger et al. 2013, Boulanger and Stenhouse 2014
Variation in the placement of roads and association to bear habitat, whether natural habitat or human-made (e.g., clearcuts, well sites)	Mace et al. 1996, Noss et al. 1996, Roever et al. 2008a & b, Boulanger et al. 2013, McLellan In review
Variation in the width of a road and ROW	Chruszcz et al. 2003, Graves et al. 2006, Graham et al. 2010
Variation in the volume or pattern of vehicle traffic on roads	Archibald et al. 1987, McLellan & Shackleton 1988; Mace et al. 1996; Gibeau et al. 2002; Chruszcz et al. 2003; Waller & Servheen 2005; Ciarniello et al. 2007a; Roever et al. 2008b, 2010; Northrup 2010; Northrup et al. 2012
Temporal (daily or seasonal) variation in human activity	Archibald et al. 1987, McLellan & Shackleton 1988, Gibeau et al. 2002, Mueller et al. 2004, Waller & Servheen 2005, Graves et al. 2006, Ciarniello et al. 2007a, Northrup 2010, Schwartz et al. 2010a, Northrup et al. 2012
Variation in the type of human activity on roads and the probability a human will kill a bear during an encounter	Mattson et al. 1996, Wielgus et al. 2002, Johnson et al. 2004, Ciarniello et al. 2007a, Schwartz et al. 2010b
Variation in the availability of anthropogenic food to bears along a road	Mace et al. 1996
Variation in jurisdictional management, including level of road closure	Benn 1998, Benn & Herrero 2002, Wielgus et al. 2002, Johnson et al. 2004, Nielsen et al. 2004b, Haroldson et al. 2006, Schwartz et al. 2010b
<b>Bear-related influences</b>	<b>References</b>
An individual bear's past experience with humans, including its tolerance of or habituation to human activity	Mattson et al. 1992, Gibeau et al. 2002, Chruszcz et al. 2003, Mueller et al. 2004
Age or sex class of a bear, sometimes in relation to dominance status	Mattson et al. 1987, McLellan & Shackleton 1988, Wielgus and Bunnell 1994b, Gibeau et al. 2002, Chruszcz et al. 2003, Mueller et al. 2004, Graham et al. 2010, Northrup 2010, Schwartz et al. 2010a, Boulanger and Stenhouse 2014
Variation in bear home range size, particularly relative to roads	Nielsen et al. 2004b
Temporal variation in bear activity pattern	McLellan & Shackleton 1988, Gibeau et al. 2002, Mueller et al. 2004, Graves et al. 2006, Graham et al. 2010, Northrup et al. 2012, Schwartz et al. 2010a
Seasonal or yearly change in the spatial distribution of a bear's preferred habitat or food	Mattson et al. 1987, 1992; Mace et al. 1999; Chruszcz et al. 2003; Roever et al. 2008a&b; Graham et al. 2010; Northrup 2010; Schwartz et al. 2010b
Relative quality of food resources near versus away from roads	Mattson et al. 1992, Gibeau et al. 2002, Nielsen et al. 2006, Roever et al. 2008a&b, Boulanger et al. 2013, McLellan In review
Distance to and amount of security cover for a bear	McLellan & Shackleton 1989, Gibeau et al. 2002
Density of bears near versus away from roads	Ciarniello et al. 2009, McLellan In review
Competition or resource partitioning with sympatric black bears	Mattson et al. 2005, Apps et al. 2006, Schwartz et al. 2010a

The majority of human-caused mortality of grizzly bears occurs near roads or human occupied areas (Knight et al. 1988, McLellan 1990, Mattson et al. 1992, Benn 1998, Benn and Herrero 2002, Nielsen et al. 2004b, Schwartz et al. 2010b, Boulanger and Stenhouse 2014, McLellan In review). Typically, grizzly bear mortalities increase near roads because of increased interactions with humans, especially where roads co-occur with quality grizzly bear habitat (Benn 1998, Johnson et al. 2004, Nielsen et al. 2004b, Boulanger and Stenhouse 2014). Bears die at a disproportionate rate when they are close to active roads and people who use the roads are armed (Mattson et al. 1996, Johnson et al. 2004, Ciarniello et al. 2007, Schwartz et al. 2010b, McLellan In review). In the absence of grizzly bear hunting, mortality can still occur from mistaken identity kills, self-defence kills, illegal kills (poaching), and malicious kills (McLellan et al. 1999). Most management control kills and landowner defense-of-life and property (DLP) kills also are near transportation corridors. In addition, grizzly bear deaths can occur from vehicle or train collisions (Gunther et al. 1998, Bertch and Gibeau 2009).

Benn (1998) found 85% of mortalities in the Central Rockies ecosystem of Alberta and British Columbia occurred within 500 m of roads and front country developments and 200 m around trails and backcountry developments. This proportion increased to 100% when only Banff and Yoho National Parks were considered (Benn and Herrero 2002).

Nielsen et al. (2004a) found that while grizzly bears made use of cutting units and associated habitats with roads in the foothills of Alberta, these bears experienced a higher mortality risk (Nielsen et al. 2004b). Nielsen et al. (2004b) found grizzly bear mortality was positively associated with human access, water, and edge features. Human access features were motorized and non-motorized roads or trails. In addition to grizzly bears selecting edge habitats and riparian areas, Nielsen et al. (2004b) suspected humans were more likely to be in those areas as well.

McLellan (in review) found that of the 31 bears that died while radio-collared over a 32 year study period in the Flathead River valley of southeast B.C., 26 (84%) were killed by people of which 11 (35%) were legally killed by hunters; 84% of human-caused deaths were < 120 m of a road.

In the U.S.-Canada trans-border Purcell-Yahk, South Selkirk, and Cabinet Mountain ecosystems, 76% of known-location human-caused mortalities occurred within 500 m of an open road (Wakkinen and Kasworm 2004). About 28% of identified non-hunting grizzly bear mortalities in the Purcell-Yahk and South Selkirk ecosystem sub-populations between 2003 and 2012 were a result of self-defence, mistaken identity, and illegal kills. Most of these mortalities occurred in back-country areas (MacHutchon and Proctor 2015). Roads are the main way that humans access the back-country in these sub-populations, so without roads most of these back-country mortalities would not have occurred. Several mistaken identity and self-defence kills were by ungulate or black bear hound hunters. Schwartz et al. (2010b) suggested that grizzly bear mortality associated with ungulate or black bear hunting could be easily absorbed by

populations living in habitat fostering high survival (source areas) but could result in a sink effect if the addition of this type of mortality resulted in a non-sustainable rate of survival.

Vehicle traffic on roads and trails can alter bear behaviour. Some bears become more night active in response to vehicle traffic (Northrup et al. 2012, Schwartz et al. 2010a). This may not be their preference, but provides opportunity to feed along a road ROW or cross a road during a lower level of human activity. Some bears will habituate to or simply tolerate human activity on roads to get access to a food resource (Herrero et al. 2005, Haroldson and Gunther 2013). This can be beneficial to bears if it reduces the time and energy costs associated with a flight response to people (McLellan and Shackleton 1989, Gunther 1990, Herrero et al. 2005) and sometimes it can provide security from more dominant bears that are less likely to tolerate human activity (Schwartz et al. 2010a). However, grizzly bears active close to roads usually have a higher risk of human-caused mortality (Johnson et al. 2004, Nielsen et al. 2004b, Graham et al. 2010, Schwartz et al. 2010b, Boulanger and Stenhouse In review).

Gunther et al. (1998) analyzed the frequency of road killed wildlife, including grizzly bears and black bears, within Yellowstone National Park in relation to adjacent roadside cover types, posted speed limits, and average speed of vehicles. They found that speed of vehicles was the primary factor contributing to vehicle-wildlife collisions and that road design appeared to influence vehicle speed more than the posted speed limit.

Habitat is lost under the surface of a road or rail bed, which can result in a loss of foraging habitat, particularly in high quality habitats. Travel can be easier on a road, however this also increases a bear's vulnerability to human-caused mortality.

Habitat alteration along a road ROW can be a positive or negative change in habitat suitability for grizzly bears. Grizzly bear plant food availability often increases along a ROW because of (a) natural regeneration of native forbs and fruit-bearing shrubs in clearings or at the edge of clearings, (b) the deliberate seeding or inadvertent spread of desirable non-native plants, such as clover, common dandelion, and a variety of grasses, (c) an increased supply of nutrients or water, and (d) vehicle-killed carrion (Nagy and Russell 1978, MacHutchon and Mahon 2003, Roever et al. 2008a). In addition, as with a road or rail bed surface, grizzly bear travel can be easier along a ROW. However, foraging or traveling on a ROW increases a bear's risk of mortality particularly if the corridor is a road or a service corridor with an off-road vehicle trail (Nielsen et al. 2004b, Roever et al. 2008a, Boulanger et al. 2013). In some cases, habitat suitability may decline on ROWs if vegetative hiding cover is removed or clearing changes the habitat from a productive to a less productive seral stage.

Human activity on roads and highways can (a) disrupt individual grizzly bear foraging events, (b) cause some bears to temporarily move to less productive habitats, or (c) permanently displace some bears (Archibald et al. 1987, Mattson et al. 1987, McLellan and Shackleton 1988, Kasworm and Manley 1990, Mace et al. 1996). The temporal and spatial degree of displacement of grizzly

bears depends on many of the same factors that influence the magnitude of effect of roads listed in Table 2 (McLellan 1990, Schwartz et al. 2010a). Not surprisingly, the reported spatial displacement effect of roads and human action on roads ranges from habitat use less than expected within 100 m of a road (McLellan and Shackleton 1988) to disruptions of foraging up to 4 km away from a road (Mattson et al. 1987). Displacement of some age/ sex classes of bears may allow other bears more opportunity to feed along a road ROW, particularly if they tolerate road traffic. However, bears that become tolerant of or habituate to human activity on roads often have a higher risk of mortality.

Grizzly bear habitat can be fragmented by a high density of roads. Vehicle traffic and human activity on roads or trails may influence bears strongly enough to make some habitat fragments unavailable or no longer effective habitat for bears (i.e., loss of habitat security; Gibeau et al. 2001). In some cases, roads and ROWs can act as a barrier to movement because of (a) removal of vegetative security cover, (b) human behaviour on roads, or (c) traffic volume, timing, and pattern.

Although grizzly bears survive and reproduce in habitats with roads, it has been shown that survival decreases and avoidance of habitat near open motorized roads and trails increases with increasing road density (Kasworm and Manley 1990, Mace et al. 1996, Apps et al. 2004, Schwartz et al. 2010b, Boulanger et al. 2013, Boulanger and Stenhouse 2014). Because human action on roads can affect grizzly bear survival, the amount of road-less habitat in an ecosystem is frequently considered a measure of habitat security for grizzly bears (Gibeau et al. 2001, Proctor et al. 2008, Schwartz et al. 2010b).

Human use of roads is difficult to measure, so open road density is often used as an indirect measure of the amount of human use outside of secure habitat. Road density has been shown to be a good predictor of grizzly bear survival, particularly female survival (more roads, lower survival) and the proportion of core habitat (secure habitat) within a home range can be positively associated with higher survival (more core habitat, higher survival; Mace et al. 1996, Schwartz et al. 2010b, Boulanger and Stenhouse 2014). Schwartz et al. (2010b) considered core areas to be those which had no motorized and no high intensity, non-motorized human use and were a minimum of 500 m from any open road or motorized trail.

If road densities become too great, secure habitat for bears could become isolated islands surrounded by roads and travel among secure areas can become hazardous for a bear (Schwartz et al. 2010b). Schwartz et al. (2010b) suggested, therefore, that as the amount of secure habitat declined, road density should also decline to reduce hazards to grizzly bears. They felt that management required balancing road density standards with the amount of secure habitat available.

Because of the increasing presence of roads and humans on roads within grizzly bear range, there are some areas where grizzly bears may not be able to avoid humans and still find

required food resources (Gibeau et al. 2001, 2002; Proctor et al. 2008; Roever et al. 2008a,b). In these environments, if the best feeding habitat within a bear's home range is interspersed with roads, then a bear will often have to use it despite being more likely to be killed by humans (Graham et al. 2010, Schwartz et al. 2010b, Boulanger et al. 2013). Food-rich habitats that attract bears to high-risk areas can serve as local population sinks (Delibes et al. 2001, Naves et al. 2003, Nielsen et al. 2006, Schwartz et al. 2010b, Nielsen et al. 2010). Identifying higher quality grizzly bear habitats based on food availability or other metrics of bear use, such as radio-telemetry occupancy, can be misleading for management and conservation action if those same sites had a higher risk of human-caused mortality. Consequently, research in Alberta and British Columbia has incorporated mortality risk models (Nielsen et al. 2004b, 2010) with grizzly bear habitat use models as surrogates of population fitness to identify attractive mortality sinks (sink-like habitats) and secure, high-quality habitats (Nielsen et al. 2006, 2010; Nielsen 2011).

Boulanger and Stenhouse (2014) suggested that road densities  $>0.75 \text{ km/km}^2$  in Alberta were associated with grizzly bear population decline when female reproductive-state specific survival was considered and  $>1.25 \text{ km/km}^2$  when all females were considered regardless of reproductive state. They found that higher road densities were strongly associated with lower female survival and this became a limiting factor in population growth when road densities passed these identified thresholds. This work is being used to establish road densities targets of  $0.60 \text{ km/km}^2$  for "Core conservation areas" in Alberta where grizzly bears are managed for population growth. In other occupied areas with long term stability as a goal, the maximum road density target will be  $0.75 \text{ km/km}^2$ .

MacHutchon and Proctor (2015) found that the average open road density (restricted roads were considered closed and trails were not considered) in the trans-border Canada-U.S. South Selkirk and Yahk subpopulations together was  $1.0 \text{ km/km}^2$ . However, 23 adult female grizzly bears had 95% kernel home ranges with an average open road density of  $0.60 \text{ km/km}^2$ . The trans-border South Selkirk subpopulation, which had an estimated annual growth rate of  $\sim 2\%$ , had an average open road density of  $0.92 \text{ km/km}^2$  whereas adult females averaged  $0.39 \text{ km/km}^2$ . In contrast, the trans-border Yahk subpopulation, which had experienced population decline over much of the past 25 years, had an average road density of  $1.2 \text{ km/km}^2$  and adult female home ranges averaged  $0.90 \text{ km/km}^2$ . Much of the U.S. portion of the Yahk subpopulation is managed for a road density of  $0.60 \text{ km/km}^2$  while the B.C. side has an average road density of  $1.60 \text{ km/km}^2$ .

Within B.C., the South Selkirk subpopulation had an average open road density of  $1.20 \text{ km/km}^2$  whereas adult female grizzly bears had 95% kernel home ranges with an average open road density of  $0.43 \text{ km/km}^2$ . The B.C. Yahk had an average open road density of  $1.60 \text{ km/km}^2$  whereas adult female home ranges averaged  $1.40 \text{ km/km}^2$ . The old South Purcell GBPU (now within the Central Purcell GBPU) had an average open road density of  $0.62 \text{ km/km}^2$  whereas adult female home ranges averaged  $0.55 \text{ km/km}^2$ .

Another metric MacHutchon and Proctor (2015) used for the effect of human access on grizzly bear habitat was the proportion of an area that was >500m from an open road in polygons >10 km<sup>2</sup> (as above, restricted roads were considered closed and trails were not considered), which they referred to as “secure habitat”. Secure habitat compliments the road density metric by reflecting the distribution of open roads across an area. For example, a road density of 1.0 km/km<sup>2</sup> that is distributed evenly could have a secure habitat proportion of 0 after all roads were buffered by 500m. However, in practice roads are not distributed evenly. The B.C. Yahk has a relatively high open road density of 1.60 km/km<sup>2</sup> and its proportion of secure habitat was 24%. In this context of high open road density and low available secure habitat, adult female bears in the B.C. Yahk had home ranges averaging 31% secure habitat. In contrast, the B.C. South Selkirk had an average open road density of 0.92 km/km<sup>2</sup> and 50% secure habitat and in this context adult female bears had home ranges averaging 75% secure habitat. Across both the B.C. Yahk and South Selkirk subpopulations adult females had home ranges averaging 60% secure habitat.

All 23 adult female grizzly bears measured in the trans-border South Selkirk and Yahk subpopulations had 95% kernel home ranges with open road density less than what was available in their ecosystem and secure habitat more than what was available. These consistent results suggested adult female grizzly bears were selecting home ranges to minimize the amount of open road to the extent possible, which may have represented the best available habitat where adult females could survive.

Lower road density and higher proportion of secure habitat in the trans-border South Selkirk was associated with a population increase. In contrast, higher road density and lower proportion of secure habitat in the trans-border Yahk was associated with population decrease. These patterns are consistent with the hypothesis that excessive road density contributes to female mortality and thus influences population trend. This does not necessarily prove that managing human access is necessary to recovery grizzly bears. However, these patterns are consistent with results found in other jurisdictions (Mace et al. 1996, Wakkinen and Kasworm 1997, Schwartz et al. 2010, Boulanger et al. 2013, Boulanger and Stenhouse 2014) some of which have found a negative association of road density with female survival, an important population characteristic often responsible for population trend.

In contrast to the above, although most bears killed by people were near roads, McLellan (In review) did not feel that increasing road density necessarily resulted in higher grizzly bear mortality in the Flathead River valley unless the overall number of grizzly bear or ungulate hunters had increased. However, the number of hunters actually declined over his 33 year study period. McLellan (In review) suggested the abundance of huckleberries growing in the mountains above most human activity in largely road-less areas permitted the Flathead valley population to expand in spite of significant industrial development and human activity associated with a road network at lower elevations. In this way, the grizzly bear population was not negatively affected by the road network or road density per se, however they did benefit

greatly by having high quality habitat in road-less (secure) areas where they were largely undisturbed by people.

Population fragmentation results when transportation or service corridors become a significant barrier to movement with resultant demographic and possibly genetic consequences (Mace et al. 1996, Gibeau 2000, Proctor et al. 2005, 2012). Transportation corridors alone (e.g., major highways), but most often, transportation corridors acting cumulatively with human settlement and activity can create areas that bears will rarely occupy or cross (Gibeau 2000, Proctor et al. 2012). Proctor et al. (2012) detailed the human-induced fragmentation status of grizzly bears in southeast B.C., southwest Alberta, and the northern USA. Subpopulation boundaries were derived from genetic discontinuities and evidence of reduced inter-area movements of female bears and to a lesser degree male bears due to fragmentation by settled valleys and major highways. The resulting subpopulations were characterized by the varying numbers of bears they contained and the amount of reduced inter-change with their neighbours, particularly of female bears.

## Literature Cited

- Apps, C.D., B.N. McLellan, J.G. Woods, and M.F. Proctor. 2004. Estimating grizzly bear distribution and abundance relative to habitat and human influence. *Journal of Wildlife Management* 68:138-152.
- Apps, C.D., B.N. McLellan, and J.G. Woods. 2006. Landscape partitioning and spatial inferences of competition between black and grizzly bears. *Ecography* 29:561-572.
- Archibald, W.R., R. Ellis, and A.N. Hamilton, 1987. Responses of grizzly bears to logging truck traffic in the Kimsquit River Valley, British Columbia. *International Conference on Bear Research and Management* 7:251-258.
- Banci, V., D.A. Demarchi, and W.R. Archibald. 1994. Evaluation of the population status of grizzly bears in Canada. *International Conference on Bear Research and Management* 9:129-144.
- Benn, B. 1998. Grizzly bear mortality in the Central Rockies Ecosystem, Canada. M.Sc. Thesis, University of Calgary, Calgary, Alberta. 163 pp.
- Benn, B., and S. Herrero. 2002. Grizzly bear mortality and human access in Banff and Yoho National Parks, 1971-98. *Ursus* 13:213-221.
- Bertch, B., and M. Gibeau. 2009. Grizzly bear monitoring in and around the Mountain National Parks: mortalities and bear/ human encounters 1990-2008. Parks Canada, Lake Louise, Alberta. 29 pp.
- Boulanger, J., M. Cattet, S.E. Nielsen, G. Stenhouse, and J. Cranston. 2013. Use of multi-state models to explore relationships between changes in body condition, habitat and survival of grizzly bears *Ursus arctos horribilis*. *Wildlife Biology* 19: 274-288.
- Boulanger, J., and G. Stenhouse. 2014. The impact of roads on the demography of grizzly bears in Alberta. *PLoS ONE* 9(12): e115535.



- Chruszcz, B., A.P. Clevenger, K.E. Gunson, and M.L. Gibeau, 2003. Relationships among grizzly bears, highways, and habitat in the Banff-Bow Valley, Alberta, Canada. *Canadian Journal of Zoology* 81:1378-1391.
- Ciarniello, L.A., M.S. Boyce, D.C. Heard, and D.R. Seip. 2007. Components of grizzly bear habitat selection: density, habitats, roads, and mortality risk. *Journal of Wildlife Management* 71:1446-1457.
- Ciarniello, L.A., M.S. Boyce, D.C. Heard, and D.R. Seip. 2009. Comparison of grizzly bear *Ursus arctos* demographics in wilderness mountains versus a plateau with resource development. *Wildlife Biology* 15:247-265.
- Delibes, M., P. Gaona, and P. Ferreras. 2001. Effects of an attractive sink leading into maladaptive habitat selection. *American Naturalist* 158:277-285.
- Gibeau, M.L. 2000. A conservation biology approach to management of grizzly bears in Banff National Park, Alberta. Ph.D. Thesis, University of Calgary, Calgary, Alberta.
- Gibeau, M.L., A.P. Clevenger, S. Herrero, and J. Wierzchowski. 2002. Grizzly bear response to human development and activities in the Bow River watershed, Alberta, Canada. *Biological Conservation* 103:227-236.
- Gibeau, M.L., S. Herrero, B.N. McLellan, and J.G. Woods. 2001. Managing for grizzly bear security areas in Banff National Park and the Central Canadian Rocky Mountains. *Ursus* 12: 121-130.
- Graham, K., J. Boulanger, J. Duval, and G. Stenhouse. 2010. Spatial and temporal use of roads by grizzly bears in west-central Alberta. *Ursus* 21:43-56.
- Graves, T.A., S. Farley, and C. Servheen. 2006. Frequency and distribution of highway crossings by Kenai Peninsula brown bears. *Wildlife Society Bulletin* 34:800-808.
- Graves, T.A., K.C. Kendall, J.A. Royle, J.B. Stetz, and A.C. Macleod. 2011. Linking landscape characteristics to local grizzly bear abundance using multiple detection methods in a hierarchical model. *Animal Conservation* 14:652-664.
- Gunther, K.A. 1990. Visitor impact on grizzly bear activity in Pelican Valley, Yellowstone National Park. *International Conference on Bear Research and Management* 8:73-78.
- Gunther, K.A., M.J. Biel, and H.L. Robison. 1998. Factors influencing the frequency of road-killed wildlife in Yellowstone National Park. Pages 32-42 in G.L. Evink, editor. *Proceedings of the International Conference on Wildlife Ecology and Transportation*, Florida Department of Transportation, Tallahassee, Florida.
- Haroldson, M.A., and K.A. Gunther. 2013. Roadside bear viewing opportunities in Yellowstone National Park: characteristics, trends, and influence of whitebark pine. *Ursus* 24:27-41.
- Haroldson, M.A., C.C. Schwartz, and G.C. White. 2006. Survival of independent grizzly bear in the Greater Yellowstone Ecosystem, 1983-2001. Pages 33-42 in C.C. Schwartz, M.A. Haroldson, G.C. White, R.B. Harris, S. Cherry, K.A. Keating, D. Moody, and C. Servheen, authors. *Temporal, spatial, and environmental influences on the demographics of grizzly bears in the Greater Yellowstone Ecosystem. Wildlife Monographs* 161.
- Herrero, S., T. Smith, T.D. DeBruyn, K. Gunther, and C.A. Matt. 2005. Brown bear habituation to people: safety, risks, and benefits. *Wildlife Society Bulletin* 33:362-373.

- Johnson, C.J., M.S. Boyce, C.C. Schwartz, and M.A. Haroldson. 2004. Modelling survival: application of the Andersen-Gill model to Yellowstone grizzly bears. *Journal of Wildlife Management* 68:966-978.
- Kasworm, W. and T. Manley. 1990. Road and trail influences on grizzly bears and black bears in northwest Montana. *International Conference on Bear Research and Management*. 8:79-84.
- Knight, R.R., B.M. Blanchard, and L.L. Eberhardt. 1988. Mortality patterns and population sinks for Yellowstone grizzly bears 1973-1985. *Wildlife Society Bulletin* 16:121-135.
- Mace, R.D., J.S. Waller, T.L. Manley, K. Ake, and W.T. Wittinger. 1999. Landscape evaluation of grizzly bear habitat in western Montana. *Conservation Biology* 13:367-377.
- Mace, R.D., J.S. Waller, T.L. Manley, L.J. Lyon, and H. Zuring. 1996. Relationships among grizzly bears, roads, and habitat use in the Swan Mountains, Montana. *Journal of Applied Ecology* 33:1395-1404.
- MacHutchon, A.G., and T. Mahon. 2003. Habitat use by grizzly bears and implications for forest development activities in the Kispiox Forest District; final report. Skeena Cellulose Incorporated, Hazelton and B.C. Ministries of Water, Land, and Air Protection, and Sustainable Resource Management, Smithers, British Columbia.
- MacHutchon, A.G., and M. Proctor. 2015. Management plan for the Yahk and South Selkirk grizzly bear (*Ursus arctos*) sub-populations, British Columbia. Trans-Border Grizzly Bear Project, Kaslo. 104 pp.
- Mattson, D.J. 1990. Human impacts on bear habitat use. *International Conference on Bear Research and Management* 8:33-56.
- Mattson, D.J., B.M. Blanchard, and R.R. Knight. 1992. Yellowstone grizzly bear mortality, human habituation, and Whitebark pine seed crops. *Journal of Wildlife Management* 56:432-442.
- Mattson, D.J., S. Herrero, and T. Merrill. 2005. Are black bears a factor in the restoration of North American grizzly bear populations? *Ursus* 16:11-30.
- Mattson, D.J., S. Herrero, R.G. Wright, and C.M. Pease. 1996. Science and management of Rocky Mountain grizzly bears. *Conservation Biology* 10:1013-1025.
- Mattson, D.J., R.R. Knight, and B.M. Blanchard. 1987. The effects of developments and primary roads on grizzly bear habitat use in Yellowstone National Park, Wyoming. *International Conference on Bear Research and Management* 7:259-273.
- Mattson, D.J. and T. Merrill. 2002. Extirpations of grizzly bears in the contiguous United States. *Conservation Biology* 16:1123-1136.
- McLellan, B.N. 1990. Relationships between human industrial activity and grizzly bears. *International Conference on Bear Research and Management* 8:57-64.
- McLellan, B.N. In review. Some mechanisms underlying variation in vital rates of grizzly bears on a multiple use landscape. *Journal of Wildlife Management*.
- McLellan, B.N., F.W. Hovey, R.D. Mace, J.G. Woods, D.W. Carney, M.L. Gibeau, W.L. Wakkinen, and W.F. Kasworm. 1999. Rates and causes of grizzly bear mortality in the interior

- mountains of British Columbia, Alberta, Montana, Washington, and Idaho. *Journal of Wildlife Management* 63:911-920.
- McLellan, B.N., and D.M. Shackleton. 1988. Grizzly bears and resource extraction industries: effects of roads on behavior, habitat use, and demography. *Journal of Applied Ecology* 25:451-460.
- McLellan, B.N., and D.M. Shackleton. 1989. Immediate reactions of grizzly bears to human activities. *Wildlife Society Bulletin* 17:269–274.
- Mueller, C., S. Herrero, and M.L. Gibeau. 2004. Distribution of subadult grizzly bears in relation to human development in the Bow River Watershed, Alberta. *Ursus* 15:35-47.
- Nagy, J.A., and R.H. Russell. 1978. Ecological studies of the boreal forest grizzly bear (*Ursus arctos* L.) - annual report for 1977. Canadian Wildlife Service, Edmonton, Alberta, Canada.
- Naves, J., T. Wiegand, E. Revilla, and M. Delibes. 2003. Endangered species constrained by natural and human factors: the case of brown bears in northern Spain. *Conservation Biology* 17:1276-1289.
- Nielsen, S.E. 2011. Relationships between grizzly bear source-sink habitats and prioritized biodiversity sites in Central British Columbia. *BC Journal of Ecosystems and Management* 12:136-147.
- Nielsen, S.E., M.S. Boyce, and G.B. Stenhouse. 2004a. Grizzly bears and forestry I. Selection of clearcuts by grizzly bears in west-central Alberta, Canada. *Forest Ecology and Management* 199: 51–65.
- Nielsen, S.E., S. Herrero, M.S. Boyce, R.D. Mace, B. Benn, M Gibeau, and S. Jevons. 2004b. Modeling the spatial distribution of human-caused grizzly bear mortalities in the Central Rockies Ecosystem of Canada. *Biological Conservation* 120:101-113.
- Nielsen, S.E., G.B. Stenhouse, and M.S. Boyce. 2006. A habitat-based framework for grizzly bear conservation in Alberta. *Biological Conservation* 130:217–229.
- Northrup, J.M. 2010 Grizzly bears, roads, and human-bear conflicts in southwestern Alberta. M.Sc. Thesis, University of Alberta, Edmonton, Alberta.
- Northrup, J.M., J. Pitt, T.B. Muhly, G.B. Stenhouse, M. Musiani, and M.S. Boyce. 2012. Vehicle traffic shapes grizzly bear behaviour on a multiple-use landscape. *Journal of Applied Ecology* 49:1159-1167.
- Noss, R.F., H.B. Quigley, M.G. Hornocker, T. Merrill, and P.C. Paquet. 1996. Conservation biology and carnivore conservation in the Rocky Mountains. *Conservation Biology* 10:949-963.
- Proctor, M., B.N. McLellan, R.M.R. Barclay, and C. Strobeck. 2005. Genetic analysis reveals demographic fragmentation of grizzly bears yielding vulnerably small populations. *Proceedings of the Royal Society of London, Series B.* 272:2409-2416.
- Proctor, M.F., D. Paetkau, B.N. McLellan, G.B. Stenhouse, K.C. Kendall, R.D. Mace, W.F. Kasworm, C. Servheen, C.L. Lausen, M.L. Gibeau, W.L. Wakkinen, M.A. Haroldson, G. Mowat, C. Apps, L.M. Ciarniello, R.M.R. Barclay, M.S. Boyce, C.C. Schwartz, and C. Strobeck. 2012. Population fragmentation and inter-ecosystem movements of grizzly bears in Western Canada and the Northern United States. *Wildlife Monographs* 180:1-46.

- Proctor, M., C. Servheen, W. Kasworm, and T. Radandt. 2008. Habitat security for grizzly bears in the Yahk Grizzly Bear Population Unit of the south Purcell Mts. of southeast British Columbia. Trans-border Grizzly Bear Project, Kaslo, British Columbia, Canada.  
[http://www.transbordergrizzlybearproject.ca/pdf/Proctor%20et%20al%202008\\_habitat%20security.pdf](http://www.transbordergrizzlybearproject.ca/pdf/Proctor%20et%20al%202008_habitat%20security.pdf).
- Robbins, C.T., C.C. Schwartz, and L.A. Felicetti. 2004. Nutritional ecology of ursids: a review of newer methods and management implications. *Ursus* 15:161-171.
- Roever, C., M.S. Boyce, and G.B. Stenhouse. 2008a. Grizzly bears and forestry I: Road vegetation and placement as an attractant to grizzly bears. *Forest Ecology and Management* 256:1253-1261.
- Roever, C., M.S. Boyce, and G.B. Stenhouse. 2008b. Grizzly bears and forestry II: Grizzly bear habitat selections and conflicts with road placement. *Forest Ecology and Management* 256:1262-1269.
- Roever, C., M.S. Boyce, and G.B. Stenhouse. 2010. Grizzly bear movements relative to roads: application of step selection functions. *Ecography* 33:1113-1122.
- Schoen, J.W. 1990. Bear habitat management: a review and future perspective. *International Conference on Bear Research and Management* 8:143-154.
- Schwartz, C.C., S.L. Cain, S. Podruzny, S. Cherry, and L. Frattaroli. 2010a. Contrasting activity patterns of sympatric and allopatric black and grizzly bears. *Journal of Wildlife Management* 74:1628-1638.
- Schwartz, C.C., M.A. Haroldson, G.C. White, R.B. Harris, S. Cherry, K.A. Keating, D. Moody, and C. Servheen. 2006a. Temporal, spatial, and environmental influences on the demographics of grizzly bears in the Greater Yellowstone Ecosystem. *Wildlife Monographs* 161:1-68.
- Schwartz, C.C., M.A. Haroldson, K.A. Gunther, and D. Moody. 2006b. Distribution of grizzly bears in the Greater Yellowstone Ecosystem in 2004. *Ursus* 17:63-66.
- Schwartz, C.C., M.A. Haroldson, and G.C. White. 2010b. Hazards affecting grizzly bear survival in the greater Yellowstone ecosystem. *Journal of Wildlife Management* 74:654-667.
- Wakkinen, W.L., and W.F. Kasworm. 1997. Grizzly bear and road density relationships in the Selkirk and Cabinet–Yaak recovery zones. Idaho Fish and Game, Bonners Ferry, Idaho and U.S. Fish and Wildlife Service, Libby, Montana, USA.
- Wakkinen, W.L., and W.F. Kasworm. 2004. Demographic and population trends of grizzly bears in the Cabinet–Yaak and Selkirk ecosystems of British Columbia, Idaho, Montana, and Washington. *Ursus* 15: 65-75.
- Waller, J.S. and C. Servheen. 2005. Effects of transportation infrastructure on grizzly bears in northwestern Montana. *Journal of Wildlife Management* 69:985-1000.
- Wielgus, R.B., and F.L. Bunnell. 1994. Sexual segregation and female grizzly bear avoidance of males. *Journal of Wildlife Management* 58:405-413.
- Wielgus, R.B., P.R. Vernier, and T. Schivatcheva. 2002. Grizzly bear use of open, closed, and restricted forestry roads. *Canadian Journal of Forestry Research* 32:1597-1606.

Grizzly bear, traditional name given to brown bears of North America. Their eyesight is poor, and they have been known to attack humans without evident provocation. Females with cubs are the most aggressive. Kodiak bear. Omnivorous animals, grizzlies feed on berries, plant roots and shoots, small mammals, fish, calves of many hoofed animals, and carrion. Food is often cached in shallow holes, and grizzlies dig readily and vigorously in search of rodents. Each spring the bear marks the boundary of its territory by rubbing trees, scratching bark, or even biting large pieces from the trunks of trees. During late summer and autumn, grizzlies accumulate large amounts of fat and then retire to dens in winter. Grizzly Bears are a subspecies of brown bear, found roaming the wilderness of North America. They are often a dark brown colour but the long guard hairs on their backs have white tips, lending them a "grizzled" appearance. They have powerful shoulder muscles which appear as a hump between their front shoulders. These muscles are used when they dig the earth in search of food and excavate the ground to form winter dens. They are among the largest of the bears, with one famously recorded as weighing 1200 pounds and being 10 feet tall. They are still beaten in this regard by polar bears, however, Either way, human-grizzly interactions are on the rise. A camera trap captures grizzly bears bathing, splashing, and frolicking at a water hole. Photograph by Michael Nichols with Ronan Donovan and the National Park Service, National Geographic. Ask the tourists from around the world that flood into Yellowstone and Glacier National Parks what they most hope to see, and their answer is often the same: a grizzly bear. The western half of the U.S. teemed with grizzlies at the time of European contact, with an estimated 50,000 or more living alongside Native Americans, from the Pacific to the midwestern prairies and into the mountains of Mexico. "Grizzly bears are recovering in a lot of areas, but habitat loss and human-bear conflict remain huge problems that can compromise recovery," said Lamb. Infographic of study of impact of roads on grizzly bears [Credit: Clayton Lamb, University of Alberta]. Following the December, 2017 closure of the grizzly bear hunt in British Columbia, Lamb commented, "It is more important than ever that the public recognize the continuing threats to bear populations. Current road densities in British Columbia represent a problem for bear conservation. Peruvians' view of their remote ancestors has taken on a new immediacy thanks to the innovative reconstruction of the face of an upper class "The Sistine Chapel of the Ancients" discovered in Amazon rainforest.